

Revision date: 03.01.2021/1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:	Sens Acrylgel Assistant Tutti Frutti
1.2 Relevant identified uses of the mixture and uses advised against:	Only for professional use

1.3 Details of the supplier of the safety data sheet:

Elite Cosmetix Ltd

1085 Budapest József kft. 44.

Tel: +36 1 461 0144 Fax: +36 461 0145

1.3.1 Details of the supplier of the safety data sheet:

e-mail: lab2 @elitecosmetix.com

1. <u>4 Emergency</u>	Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)		
<u>telephone number</u>	call around the clock +36 80 20 11 99 (0-24h)		
	1097 Budapest, Nagyvárad tér 2.		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Flam Liq 2	H225
Eye Irrit 2	H319
STOT SE 3	H336

For the full text of the H-Statements mentioned in this Section, see Section 16...

2.2 Labelling according to Regulation (EC) No 1272/2008:

<u>Symbols/Indications</u> of <u>danger:</u>



	Panger
Hazard statements	Danger H225 Highly flammable liquid and vapour. H319 Causes serious irritation H336: May cause drowsiness or dizziness
Precautionary statements	P210: Keep away from heat / sparks / open flames / hot surfaces. — No smoking P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P305 + P351 + P338: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P403 + P233 + 405: Store in a well ventilated place. Keep container tightly closed, locked up P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P501: Dispose of contents and container in accordance with all local, regional, national and international regulations
2.3 Other hazards:	contain: Isopropyl Alcohol There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section

SECTION 3: Composition/information on ingredient

3.2 Mixtures

Hazardous ingredients

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Chemical name</u>	<u>INCI</u>	<u>CAS-number</u>	<u>%</u>	GHS classification 1272/2008/EC
propan-2-ol	Isopropyl Alcohol	67-63-0	90	Flam Liq 2 H225 Eye Irrit 2 H319 STOT SE 3 H336
ethyl acetate	Ethyl Acetate	141-78-6	4,0	Flam Liq 2 H225 Eye Irrit 2 H319 STOT SE 3 H336
<u>Acetone</u>	Acetone	67-64-1	2-3	Eye Irrit. 2/319 STOT SE 3/H336 EUH066

For the full text of the H-Statements mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1. Description of first aid measures		
General information	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice	
After inhalation	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by	



	trained personnel.
After contact with skin	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners
After contact with eyes	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
After ingestion	If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training
4.2. Most important sym	ptoms and effects, both acute and delayed
If inhaled	May cause respiratory irritation.
In case of skin contact	Causes skin irritation. May cause an allergic skin reaction.
In case of eye contact	Causes serious eye irritation
If swallowed	Irritating to mouth, throat and stomach
4.3 . Indication of any in	nmediate medical attention and special treatment needed
Treatment	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled

SECTION 5: Firefighting measures

5.1. Extinguishing media	Suitable extinguishing media Recommended: alcohol-resistant foam, CO2 powders, water spray. Unsuitable extinguishing media Do not use water jet.
5.2. Special hazards arising from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst Decomposition products may include the following materials: carbon dioxide, carbon monoxide
5.3. Advice for firefighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	6.1.1. For non-emergency personnel Avoid breathing vapour or mist. Refer to protective measures listed in sections 7 and 8.	
	6.2.1. For emergency responders If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel"	
6.2. Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
6.3. Methods and material for	<u>Small spill:</u> Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor	



	., •
containment and cleaning up	Large spill: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.
6.4. Reference to other sections	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2. Conditions for safe storage, including any incompatibilities	Requirements for storage areas and containers
7.3. Specific end use(s)	Not available.
	Not available.

SECTION 8: Exposure controls/personal protection

8.1 <u>Control parameters</u>		
Exposure limit values No exposure limit value known.		
DNEL/DMEL values	Not available	
PNEC values	Not available	
8.2 Exposure control	s	
8.2.1 General	Good general ventilation should be sufficient to control worker exposure to airborne contaminants	
protective measures		
8.2.2 Individual	8.2.2.1. Eye/face protection	
protection measures	Use safety eyewear designed to protect against splash of liquids.	
	8.2.2.2. Skin protection:	
	Wash hands, forearms and face thoroughly after handling chemical products, before	
	eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing.	
	Wash contaminated clothing before reusing. Ensure that eyewash stations and	
	safety showers are close to the workstation location	
	8.2.2.3. Respiratory protection	
	Usually no respiratory protection required.	
	respiratory protection in case of dust or spray mist formation. (particle filter EN143	
	type P2). respiratory protection in case of vapour	



8.2.3 Environmental	
<u>exposure</u>	Do not allow to enter drains or watercourses
controls	Do not allow to enter drains of watercourses

SECTION 9: Physical and chemical properties

Physical state : Colour : Odour	liquid. Clear, colourless liquid
	Clear, colourless liquid
<u>Odour</u>	
<u>Odour</u>	
	Strong, pungent, fruity
Odour threshold :	
Oddar till estidia .	No data available.
pH value :	No data available.
pour point :	No data available.
	NO data avaliable.
Boiling point :	77 °C
Flash point :	
riasti point .	Izopropil-alcohol
	11,85 °C open 10°C closed
Evaporation rate :	
Evaporation rate :	No data available.
Lower explosion limit :	No data available.
Upper explosive limit Vapour pressure :	<u> </u>
vapour pressure.	No data available.
Vapour density	No data available.
<u>density</u>	0,78-0,85g/cm ³
Solubility in water :	No data available
ooraning in water.	NO data available
Octanol/water partition	No data available.
coefficient (log Pow):	
Self-ignition temperature :	No data available.
Thermal decomposition:	No data available.
<u>Viscosity</u>	No data available.
-	
Explosive properties :	No data available.
Oxidizing properties :	No data available.

SECTION IO: Stability and reactivity

9.2 Other information : No additional information.

10.1. Reactivity

No specific test data related to reactivity available for this product or its ingredients



10.2. Chemical stability	Stable under normal conditions of storage and use
10.3. Possibility of hazardous reactions	Hazardous polymerisation may occur under certain conditions of storage or use. This may cause the exothermic polymerisation of the product. Avoid accidental contact with the product.
10.4. Conditions to avoid	Exposure to light, incompatible materials
10.5. Incompatible materials	strong oxidizing agents
10.6. Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

There are no data available on the mixture itself. The mixture is not classified as dangerous according to Directive 1999/45/EC and its amendments.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from

short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact

Acute toxicity	Propan-2-ol	LD50 dermal	rabbit	12800mg/kg
		LD50 oral	rat	5045 mg/kg
	Ethyl-acetate	LD50 oral	rat	5620mg/kg
<u>Irritant effect on skin</u>	No specific data			
Irritant effect on eyes	Causes serious eye irri	Causes serious eye irritation		
<u>Sensitisation</u>	No specific data			
<u>Mutagenicity</u>	No specific data			
<u>Carcinogenicity</u>	No specific data	·		
Reproductive toxicity	No specific data			
<u>Teratogenicity</u>	No specific data			
Specific target organ toxicity (single exposure)	No specific data			
Specific target organ toxicity (repeated exposure)	No specific data			
Aspiration hazard	Ingredient name	Category	Route of exposure	Target organs
	Ethyl Acetate	Category 3	Not applicable	Narcotic effects
	Propan-2-ol	Category 3	Not applicable	Narcotic effects
Other information	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels			

SECTION 12: Ecological information

<u>12.1. Toxicity</u>	Ethyl Acetate	EC50 2.5x10 ⁶ μg/l Fresh water	Algae - Selenastrum sp.	96 hrs
		LC50 1.54x10 ⁵ μg/l Fresh water	Daphnia - Daphnia cucullata,	48 hrs



		Acute EC50 >500000 μg/l Marine water	Algae - Skeletonema cos	statum 96 hrs
		Acute EC50 5091000 μg/l Fresh water	Daphnia - Daphnia magr Larvae	na - 48 hrs
		Acute LC50 3220000 µg/l Fresh water	Fish - Pimephales prome	elas 96 hrs
12.2. Persistence and degradability	No information available			
12.3. Bioaccumulative potential	<u>Ingredient name</u>	<u>LogP_{ow}</u>	<u>BCF</u>	<u>Potential</u>
	Ethyl Acetate	<u>0.68</u>	<u>30</u>	<u>low</u>
	Propan-2-ol	0.05	=	<u>low</u>
12.4. Mobility in soil	No information available			
12.5. Results of PBT and vPvB assessment	Not applicable.			
12.6. Other adverse effects	No information available			

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product

Methods of disposal

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction

Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

Packaging

Methods of disposal

The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. In cineration or landfill should only be considered when recycling is not feasible

European waste catalogue (EWC)

CEPE Paint Guidelines

15 01 10* packaging containing residues of or contaminated by dangerous substances



Special precautions

This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers

SECTION 14: Transport information

ADR;RID;ADN;IMDG;ICAO	
<u>14.1 UN number</u>	1993
14.2. Proper shipping name:	Flammable Liquid N.O.S.(Isopropanol, acetone)
14.3. Transport hazard class	3
14.4. Packing group	
14.5. Environmental hazards	NO
14.6. Special precautions	Transport within user's premises: always transport in closed containers
	that are upright and secure. Ensure that persons transporting the
	product know what to do in the event of an accident or spillage
14.7 Transport in bulk according to Annex II of	Not available.
Marpol and the IBC Code	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

1223/2009/EEC: Regulation on cosmetic products

1223/2009/EEC: Regulation on cosmetic products

EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorisation

Substances of very high concern

None of the components are listed

International regulations:

use of biocidal products.

Regulation (EC) No 1907/2006 of the European Parliament and the Council of 18.12. 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (the text of the REACH Regulation, OJ 396/1 of 30.12.2006r.) REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006. European Agreement concerning the international carriage of dangerous goods by road (ADR) (appendix to Dz.U.2011 No 110, pos. 641) REGULATION (EU) No 528/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 22 May 2012 concerning the making available on the market and



15.2 Chemical Safety	Chemical safety assessment was prepared neither for the ingredients, nor for the product itself.
<u>Assessment</u>	

SECTION 16: Other information

Observe national and local legal requirements

Legend

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

<u>DMEL</u> Chemical Abstracts Service
 <u>DNEL</u> Derived No Effect Level
 <u>GHS</u> Globally Harmonized System
 <u>PBT</u> Persistent, Bioaccumulative, Toxic

Full wording of H, EUH, Phrases

H225 Highly flammable liquid and vapour. H319 Causes serious irritation H336 May cause respiratory irritation.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Flam Liq 2	On basis of test data
Eye Irrit 2	calculation method
STOT SE 3	calculation method

Full text of classifications [CLP/GHS]

Flam Liq 2	FLAMMABLE LIQUIDS - Category 2
Eye Irrit 2	SERIOUS EYE DAMAGE/ EYE IRRITATION -
	Category 2
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Respiratory tract irritation) - Category 3

Note of supplier of material safety data sheet

Note: Since the product is marketed as a cosmetic product, thus, it is out of scope of CLP regulation 1272/2008. However, in order to facilitate the chemical risk assessment of work places for professional users, the classification and labelling elements in accordance with CLP are included but only referential.

The product is labelled in accordance with 1223/2009/EEC. The product is intended only for professional use.

This MSDS is based on data of the original safety data sheet provided by the manufacturer, using the up-to-date version of regulation 1907/2006. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product, therefore it cannot be used to verify quality compliance. Elite Cosmetix Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.

