

# ELITE COSMETIX KFT.

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 15.09.2016.

Revision date: 03.05.2017. Version: 1.2.

### 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1. Product identifier:** Crystal Nails Stamping Lacquer

**1.1.1. Product code:** **Black, White, Red, Pink, Chrome Blue, Chrome Rosegold, Yellow, Blue**

**1.2. Relevant identified uses of the mixture and uses advised against:**

**Nail stamping lacquer for cosmetic use.**

**1.3. Details of the supplier of the safety data sheet:**

Elite Cosmetix LTD.

1085 Budapest József krt. 44.

Phone: +36-1-461 0144 fax: +36-1-461 0145

lab2@elitecosmetix.com

**1.4. Emergency telephone number:**

| Country         | Name  | Phone No.       | Availability          |
|-----------------|---|-----------------|-----------------------|
| Hungary         | Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ) | +36 80201199    | call around the clock |
| Austria         | Vergiftungsinformationszentrale                         | +43 14064343    | call around the clock |
| Belgium         | Antigifzentrum  | +32 070245245   | call around the clock |
| Czech Republic  | Toxikologického informačního střediska                  | +420 224919293  | call around the clock |
| Denmark         | Giftnlinjen   | +45 82121212    | call around the clock |
| France          | Centre Antipoison et de Toxicovigilance                 | + 33 0140054848 | call around the clock |
| Germany         | Giftnotruf Berlin Institut für Toxikologie              | +49 3019240     | call around the clock |
| Ireland         | National Poisons Information Centre                     | +353 018092566  | call around the clock |
| Italy           | S.C. Centro Antiveneni di Milano (CAV)                  | +39 0266101029  | call around the clock |
| Spain           | Instituto Nacional de Toxicología y Ciencias Forenses   | +34 915620420   | call around the clock |
| The Netherlands | Vergiftigingen  | +31 0302748888  | call around the clock |

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 15.09.2016.

Revision date: 03.05.2017. Version: 1.2.

### 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture:

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

**Flam. Liq. 2**                    **H225**

**Eye Irrit. 2**                    **H319**

**STOT SE 3**                    **H335**

#### 2.2. Labelling elements:



GHS02 GHS07

**Signal words:** Danger

#### Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

#### Precautionary statements

##### Prevention

P210: Keep away from heat / sparks / open flames/hot surfaces. - No smoking.

P241: Use explosion-proof electrical / ventilating / light / ... / equipment.

P242: Use only non-sparking tools.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P 280: Wear protective gloves / protective clothing / eye protection / face protection.

##### Response

P370 + 378: In case of fire: Use chemical powders, carbon

# ELITE COSMETIX KFT.

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 15.09.2016.

Revision date: 03.05.2017. Version: 1.2.

dioxide for extinction.

P305 + 351 + 338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

### Storage

P403 + 233: Store in a well ventilated place. Keep container tightly closed

### Additional labelling

EUH066 Repeated exposure may cause skin dryness or cracking.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

The product is considered dangerous and contains the following hazardous substances

| Chemical name   | CAS No.   | EU No.    | INCI name         | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Hazard statements    | m%    |
|-----------------|-----------|-----------|-------------------|---|----------------------|-------|
| ethyl acetate   | 141-78-6  | 205-500-4 | Ethyl Acetate     | Flam. Liq. 2<br>Eye Irrit. 2.<br>STOT SE 3                      | H225<br>H319<br>H336 | 25-50 |
| n-butyl acetate | 123-86-4  | 204-658-1 | Butyl Acetate     | Flam. Liq. 3<br>STOT SE 3                                       | H226<br>H336         | 25-50 |
| nitrocellulose  | 9004-70-0 | 618-392-2 | Nitrocellulose    | Flam. Liq. 2<br>Eye Irrit. 2.<br>STOT SE 3                      | H225<br>H319<br>H336 | 10-25 |
| propane-2-ol    | 67-63-0   | 200-661-7 | Isopropyl Alcohol | Flam. Liq. 2<br>Eye Irrit. 2.<br>STOT SE 3                      | H225<br>H319<br>H336 | 5-10  |

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 15.09.2016.

Revision date: 03.05.2017. Version: 1.2.

### 4. FIRST AID MEASURE

#### 4.1. Description of first aid measures

|                         |  |
|-------------------------|--|
| If inhaled              | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| In case of skin contact | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.  |
| In case of eye contact  | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.  |
| If swallowed            | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist                           |

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 15.09.2016.

Revision date: 03.05.2017. Version: 1.2.

or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### 4.2. Most important symptoms and effects associated with exposure

|                         |   |
|-------------------------|---|
| If inhaled              | Possible drowsiness and dizziness. Risk of respiratory problems.  |
| In case of skin contact | Redness, pain. The skin absorbs part of the ingredients of this product. Can cause dry or chapped skin. |
| In case of eye contact  | Redness, watering, blurred vision. Risk of irritant effect on eyes.                                     |
| If swallowed            | Health risk even in small quantities. Product should not come into contact with foodstuffs.             |

### 4.3. Indication of immediate medical attention and special treatment needed

|                    |                        |
|--------------------|------------------------|
| Notes to physician | Treat symptomatically. |
| Specific treatment | No specific treatment. |

## FIREFIGHTING MEASURES

**5.1. Extinguishing media** Chemical powders, carbon dioxide and other extinguishing gases may be suitable for minor fires.

Recommended Special foam for polar liquids.

To avoid Water without additives.

**5.2 Specific hazards during fire fighting** Fire often produces a dense black smoke and vapours (may be invisible) heavier than air and spread along ground. Exposure to decomposition products (such as carbon monoxide or dioxide) constitutes a serious health hazard. Do not inhale smoke. Vapours may form explosive mixtures with air.

# ELITE COSMETIX KFT.

---

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 15.09.2016.

Revision date: 03.05.2017. Version: 1.2.

### 5.3. Advice for firefighters

Special protective actions  
for fire-fighters

Use water to keep the containers exposed to fire cool. Heating will cause a pressure rise - with risk of bursting. Avoid naked flames or other sources of ignition in areas where product is used. Protect electrical equipment (risk of explosive zones). Dry residue stay highly flammable. Exercise caution when fighting any chemical fire. Prevent fire-fighting effluent from entering drains, watercourses and/or environment.

Special protective  
equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. ACCIDENTAL RELEASE MEASURE

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency  
personnel

As the product contains organic solvents and other highly flammable substances, remove all possible sources of ignition and thoroughly ventilate premises. Use personal protective equipment and keep away unprotected persons. Do not inhale fumes / gas / vapours / spray. Avoid skin and eye contact. See Sections 7 et 8.

### 6.2. Environmental precautions

Prevent product from entering drains or watercourses. Avoid subsoil penetration. If the product contaminates ground water, rivers or drains (or is likely to do so), notify the relevant authorities, following the statutory procedures.

### 6.3. Methods and materials for containment and cleaning up

Methods and materials

Clean up any spills as soon as possible, using a non-combustible absorbent material to collect it, for example:

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 15.09.2016.

Revision date: 03.05.2017. Version: 1.2.

sand, earth, vermiculite, diatomic earth. Collect material into suitable drums for disposal in accordance with regulations (see Section 13). It is preferable to clean with detergents, do not use solvents.

6.4 Reference to other sections

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Protective measures

Keep container tightly closed. Ensure adequate ventilation. Use personal protective equipment (see section 8). Avoid contact with the skin the eyes. Emergency eye wash fountains and emergency showers should be available in the immediate vicinity. Handle empty containers with care because residual vapours are flammable. Dry residue stay highly flammable. Avoid naked flames or other sources of ignition in areas where product is used. No smoking. Fumes are heavier than air and they may spread at ground level and form explosive mixtures with air. Avoid the formation of explosive concentrations and concentrations above occupational exposure limits. Do not allow unauthorized persons into areas where product is used.

Technical protective measures

Provide proper grounding. Use only non-sparking tools. Do not use compressed air to either agitate or transfer the contents of storage containers (tanks) / shipping drums containing this material.

Avoid build-up of static charges by:

- ensuring that flooring is conductive and keeping it clean,
- ensuring that equipment is earthed during transfer or stirring of the product or preparations containing the product,
- the use of antistatic shoes, clothing and packaging.

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 15.09.2016.

Revision date: 03.05.2017. Version: 1.2.

**Hygiene measure** Keep away from food, drink and animal feeding stuffs. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2. Conditions for safe storage

**Requirements for storage areas and containers** Store in tightly closed containers, in a cool, dry and well-ventilated place. Unsuitable working materials: various plastics. Keep in an area equipped with solvent resistant flooring. Keep away from direct sunlight, from heat or sources of ignition – No smoking. The vapour may be invisible, heavier than air and spread along ground. Vapours may form explosive mixtures with air. Take measures to prevent the build-up of electrostatic charge. Use only in an area containing explosion proof equipment.

### 7.3. Specific end uses

**Recommendations** Not available.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Occupational exposure limits

| OELs (Occupational Exposure Limit values) for Hungary <sup>1</sup> |                                |                            |
|--|--------------------------------|----------------------------|
| Component  | TWA<br>(Time Weighted Average) | PC (Peak<br>Concentration) |
| Ethyl Acetate  | 1.400 mg/m <sup>3</sup>        | 1.400 mg/m <sup>3</sup>    |
| Butyl Acetate  | 950 mg/m <sup>3</sup>          | 950 mg/m <sup>3</sup>      |
| Propane-2-ol   | 500 mg/m <sup>3</sup>          | 2.000 mg/m <sup>3</sup>    |

<sup>1</sup> For other local/national OEL values visit the following website:  
<http://www.dguv.de/ifa/fachinfos/occupational-exposure-limit-values/foreign-and-eu-limit-values/index.jsp>



## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 15.09.2016.

Revision date: 03.05.2017. Version: 1.2.

### 8.2. Exposure controls

|                                 |  |
|---------------------------------|--|
| Engineering controls            | Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.  |
| Individual protection measures  |  |
| Hygiene measures                | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Respiratory protection          | If vapour concentrations exceed the established exposure limits, respiration protection is necessary, wear a gas mask (A-P2) with appropriate cartridge.   |
| Eye/face protection             | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield.  |
| Hand protection                 | Use adapted gloves (in accordance with EN 374) to prevent skin contact and possible irritation.  |
| Skin and body protection        | Solvent resistant protective clothing.   |
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.   |
| Personal hygiene                | Minimize breathing of vapour. Avoid prolonged contact with skin. Wash hands and other exposed areas with mild soap   |

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 15.09.2016.

Revision date: 03.05.2017. Version: 1.2.

|                                 |  |
|---------------------------------|--|
|                                 | and water before eat, drink or smoke and when leaving work. Changing of clothes at the end of work.  |
| Environmental exposure controls | Prevent product from entering drains or watercourses. If product contaminates ground water, rivers or drains (or is likely to do so), notify the relevant authorities, following the statutory procedures. |

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

|   |   |
|---|---|
| Appearance/form                         | Translucent liquid, viscous                             |
| Odour                                   | Solvent.  |
| Initial boiling point/range             | > 100 °C  |
| pH                                      | Not applicable.   |
| Melting/freezing point                  | No data available.                                      |
| Initial boiling point and boiling range | > 77 °C   |
| Flash Point                             | < 21 °C   |
| Evaporation rate                        | No data available.                                      |
| Flammability (solid, gas)               | Formation of explosive air/vapour mixtures is possible. |
| Explosive Limits % Vol                  | lower — upper   |
| ethyl acetate                           | 2.1— 11.5   |
| butyl acetate                           | 1.2 — 7.5   |
| isopropyl alcohol                       | 2 — 12  |
| Vapour pressure                         | No data available.                                      |
| Vapour density                          | No data available.                                      |
| Density                                 | 0,95 - 1,05 gr/cm <sup>3</sup> at 20 °C                 |
| Water solubility                        | Not miscible.   |

#### 9.2. Other information

No further information available.

# ELITE COSMETIX KFT.

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 15.09.2016.

Revision date: 03.05.2017. Version: 1.2.

### 10. STABILITY AND REACTIVITY

- 10.1. Reactivity** No specific test data related to reactivity available for this product or its ingredients.
- 10.2. Chemical stability** Stable under normal conditions of storage and use.
- 10.3. Possibility of hazardous reactions** Hazardous reactions or instability may occur under certain conditions of storage or use.
- 10.4. Conditions to avoid** Heat, flames, sparks, static charges and direct sunlight. Unsuitable working materials: various plastics. Sensitive to air. Explosive with air in a vaporous/gaseous state.
- 10.5. Incompatible materials** Alkali metals, strong acids / alkalis, fluorine, hydrides, strong oxidizing agents, water with air and light.
- 10.6. Hazardous decomposition products** Thermal decomposition may liberate carbon oxides and nitrogen oxides.

### 11. TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

| Toxicity  | Value                                     | Method                    | Result                   |
|---|---|---------------------------|--------------------------|
| Oral acute toxicity   | > 2000 mg / kg                            | Additivity formula        | No acute toxicity        |
| Inhalation acute toxicity                                   | > 20 mg / l                               | Additivity formula        |                          |
| Dermal acute toxicity                                       | > 2000 mg / kg                            | Additivity formula        |                          |
| <b>Eyes irritation</b>                                      | <b>Irritating</b>                         | <b>Bridging principle</b> | <b>Eye irrit. Cat. 2</b> |
| Skin irritation   | No irritating                             | Bridging principle        | No skin irrit.           |
| Sensitisation   | No sensitisation                          | Bridging principle        | No Sensitisation         |
| <b>Specific target organ toxicity after single exposure</b> | <b>May cause drowsiness and dizziness</b> | <b>Bridging principle</b> | <b>STOT SE Cat. 3</b>    |

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 15.09.2016.

Revision date: 03.05.2017. Version: 1.2.

### 11.2. Most important symptoms and effects associated with exposure

Potential acute health effects

|                         |   |
|-------------------------|---|
| If inhaled              | Possible drowsiness and dizziness. Risk of respiratory problems.  |
| In case of skin contact | Redness, pain. The skin absorbs part of the ingredients of this product. Can cause dry or chapped skin. |
| In case of eye contact  | Redness, watering, blurred vision. Risk of irritant effect on eyes.                                     |
| If swallowed            | Health risk even in small quantities. Product should not come into contact with foodstuffs.             |

### 11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

Exposure to levels above the values under Section 8, or regular exposure even if levels are lower, of vapours from solvents present in the preparation may be harmful for health; the effects through inhalation of the vapours and/or contact with skin on long or short time are: Irritation of mucous membranes and respiratory tract, renal, liver and central nervous system. Affections. Symptoms include headaches, dizziness, fatigue, muscular asthenia and, in extreme cases, unconsciousness. Prolonged or repeated skin contact can lead to defatting, provoking non-allergic contact dermatitis and absorption of product through the skin. A regular medical follow-up is necessary.

### 11.4. Potential chronic health effects

No information available.

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

No information available.

### 12.2. Persistence and degradability

# ELITE COSMETIX KFT.

---

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 15.09.2016.

Revision date: 03.05.2017. Version: 1.2.

No information available.

### 12.3. Bioaccumulative potential

No information available.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

No information available.

### 12.6 Other adverse effects

Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration. Risk of formation of explosive vapours above water surface.

## 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Product

Avoid release to the environment or drains. Disposal together with normal waste is not allowed. Dispose of this product at hazardous or special waste collection point or give to an agreed waste collector / transporter for elimination or treatment. Dispose in a safe manner in accordance with local regulations.

Packaging

Empty contaminated packaging thoroughly. They can be recycled after thorough and proper cleaning. Do not burn, or use a cutting torch on, the empty drum. Risk of explosion.

Container

Empty containers /drums for storage or transport before giving to an agreed collector. Keep label (Flame, Class 3) on the container and dispose of it as hazardous waste.

# ELITE COSMETIX KFT.

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 15.09.2016.

Revision date: 03.05.2017. Version: 1.2.

### 14. TRANSPORT INFORMATION

This product is classified as dangerous goods.

14.1. UN No. 1263

14.2. Proper shipping name PAINT

14.3. Transport hazard class and labels 3, F1



14.4. Packing group PG II

14.5. Environmental hazards No.

14.6. Special precautions No information available.

14.7. Transport in bulk No information available.

according to Annex II of MARPOL 73/78 and the IBC Code

### 15. REGULATORY INFORMATION

Other regulation 1223/2009/EEC: Regulation on cosmetic products

### 16. OTHER INFORMATION

Note of supplier of material safety data sheet

**Note: Since the product is marketed as a cosmetic product, thus, it is out of scope of CLP regulation 1272/2008. However, in order to facilitate the chemical risk assessment of work places for professional users, the classification and labelling elements in accordance with CLP are included.**

**The product is labelled in accordance with 1223/2009/EEC.**

This MSDS is based on data of the original safety data sheet provided by the manufacturer, using the up-to-date version of regulation 1907/2006. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product, therefore it cannot be used to verify quality compliance. Elite Cosmetix Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product.