Material Safety Data Sheet CRYSTAL NAILS EXTREME TITANIUM GEL BLUE Page 1 of 5

Section 1 – Identification of the Substance/Preparation and of the Company/Undertaking

CRYSTAL EXTREME TITANIUM GEL BLUE **Product Name:**

MSDS Prepared by:

Chemical Name: N/A

Family: UV GELS

Manufacturer/Distributor: Litrox Factory Investments LLC (443960-91)

US 8130 SW Portland, Oregon, Beaverton-Hillsdale Highway 97225.

Product Use: NAIL GEL Product #: 4020172

Section 2 - Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure	Limits	Carcinogen	%
				OSHA	ACGIH	Y A D C D VED (O CVV A	
				TWA/STEL TW	A/STEL	IARC/NTP/OSHA	
Polyurethane Acrylate	Exempt N/E		Di-Hema Trimethylhexyl	N/E N/E		Not Listed	70-80
Oligomer	•		Dicarbamate*				
Trimethylolpropane	3290-92-4 221-9	950-4	Trimethylolpropane	N/E N/E		Not Listed	12-16
Trimethacrylate esters			Trimethacrylate				
Tetraethylene glycol	109-17-1	203-653-1	PEG-4 Dimethacrylate	N/E	N/E	Not Listed	2-5
dimethacrylate			-				
Hydroxycyclohexyl	947-19-3 213-4	26-9	Hydroxycyclohexyl	N/E N/E		Not Listed	0-2
phenyl ketone			phenyl ketone				
FD&C Blue #1	3844-45-9	223-339-8	Blue 1/CI42090	N/E	N/E	Not Listed	0-1
D&C Violet #2	81-48-1	201-353-5	CI60725	N/E	N/E	Not Listed	0-1
N/E - None Established N/R - Not Reviewed	N/DA - No Data Available N/A - Not Available	e	* See section 16				

Polyurethane Acrylate Oligomer: Hazard Symbol: Xi Risk Phrases: R36/37/38 Safety Phrases: S3/7, S36/37, S62 Trimethylolpropane Trimethacrylate Esters: Hazard Symbol: Xi Risk Phrases: R36/37/38 Safety Phrases: S26 Tetraethylene Glycol Dimethacrylate: Hazard Symbol: Xi Risk Phrases: R36/38 Safety Phrases: S21, S24/25, S26, S41

See Section 16 for Risk and Safety Phrase

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- May be slightly toxic.
- May cause moderate skin injury (reddening & swelling).
- May cause chemical burn in eye.

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry No specific information available.

No specific information available. Contains materials that are essentially nonirritating, but contact may Eye

cause slight transient irritation.

Skin No specific information available. Contains materials that may cause moderate skin injury (reddening

and swelling) and/or sensitization. Prolonged contact may cause blister formation (burns). Since

irritation may not occur immediately, contact can go unnoticed.

Ingestion No specific information available. Contains materials that may be practically nontoxic.

Inhalation No specific information available. Low volatility makes vapor inhalation unlikely. Aerosol can be

irritating.

Sub-Chronic Effects No specific information available. Limited tests showed no evidence of teratogenicity in animals. A

lifetime skin painting study with mice showed no evidence of carcinogenicity.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 4 - First Aid Measures

First Aid for Eye Flush with plenty of water for 15 minutes and seek medical attention.

First Aid for Skin Remove contaminated clothing and wash contact area with soap and water for 15 minutes.

First Aid for Inhalation In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing

has stopped, administer artificial respiration and seek medical attention.

Material Safety Data Sheet CRYSTAL NAILS EXTREME TITANIUM GEL BLUE Page 2 of 5

First Aid for Ingestion

If appreciable quantities are swallowed, seek medical attention.

Section 5 - Fire Fighting Measures

Flash Point(°F/°C)	Flammable Limit(vol%)	Auto-ignition Temperature(vol%)
>212 °F/100 °C Setaflash	No Data	No Data

Method:

Extinguishing Media: Fire Fighting Instructions:

Use carbon dioxide or dry chemical for small fires; aqueous foam or water for large fires.

Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment

when entering confined areas where potential for exposure to vapors or products of combustion exists.

High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers. Avoid the use of a stream of water to control

fires since frothing can occur.

Section 6 - Accidental Release Measures

Spill or Release Procedures

Unusual Hazards:

Spontaneous polymerization can occur. Although material is non-flammable please try to eliminate all ignition sources. Use eye and skin protection. Place leaking containers in a well ventilated area. Dike and recover large spills. Soak up small spills with inert solids (such as vermiculite, clay) and sweep/shovel into disposal container. Wash spill area with strong detregent and water solution; rinse with water, but minimize water use during clean-up. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. Dispose and report per regulatory requirements if necessary. Please prevent washings from entering waterways.

Section 7 - Handling and Storage

Handling Avoid contact with skin and eyes. Avoid breathing vapor. Keep container closed when not in use. Avoid

prolonged exposure to light. Remove all contaminated clothing, shoes, belts and other leather goods immediately. Incinerate leather goods (including shoes). Wash contaminated clothing thoroughly before reuse. Wash skin thoroughly with soap and water after handling. Solvents should not be used to clean skin

because of increased penetration potential.

Storage Store in a cool place, away from heat and light. Store at temperatures below 100°F.

Explosion Hazard High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in

explosions and the violent rupture of storage vessels or containers.

Section 8 - Exposure Controls / Personal Protective Equipment

Engineering Controls Local exhaust recommended to control exposure which may result from operations generating aerosols and

hot operations generating vapors.

Personal Protective Equipment

General To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a

hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves,

apron, boots, or whole body suit. Nitrile rubber is better than PVC.

Eye/ Face Protection Chemical splash goggles.
Skin Protection Impervious gloves (Neoprene).

Respiratory Protection A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be

permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance level organic vapor dust masks can be used, however the use of the respirator is limited. Follow OSHA respirator regulations found in 29 CFR 1910.134 or

European Standard EN 149.

Section 9 - Physical and Chemical Properties

Material Safety Data Sheet CRYSTAL NAILS EXTREME TITANIUM GEL BLUE Page 3 of 5

Appearance		Odor & Odor Threshold	рΗ	Specific	Gravity	Viscosity	% Volatile	
Clear/Pink, mobile viscous gel		characteristic acrylate odor	NA	(H2O=1	.):1.12	N/DA	By Volume :	< 0.5
Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapo Press		Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
Not applicable	N/A	N/A		Hg) @ < 0.01	No Data	No Data	No Data	Insoluble

Flash Point(°F/°C)	Flammable Limit(vol%)	Auto-ignition Temperature(vol%)
>212 °F/100 °C Setaflash	No Data	No Data

Section 10 - Stability and Reactivity

Stability

Normally Stable

Hazardous Decomposition Products:

Fumes produced when heated to decomposition may include: carbon monoxide, carbon dioxide.

Conditions to Avoid:

Incompatibility (Materials to Avoid):

Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and string bases

Hazardous Polymerization:

May occur -- Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.

Storage >100° F, exposure to light, loss of dissolved air, loss of polymerization inhibitor, contamination with incompatible materials.

Section 11 - Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye	
No information available	No information available	No information available	No information available	No information	
				available	
Since this product contains a very low concentration of active components, the primary toxicological information is derived from the oligomers.					
Further hazardous properties	Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.				

Sensitization	Mutagenicity	Sub-chronic Toxicity
N/DA N/DA		N/DA

Section 12 - Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA N/DA		N/DA	N/DA	N/DA

Chemical Fate Information

Biodegradability	N/DA
Chemical Oxygen Demand	N/DA

To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13 - Disposable Considerations

Non-contaminated, properly inhibited product is not a RCRA hazardous waste. It is the genrators responsibility to determine what is classified as a hazardous waste. Comply with all federal, state, and local regulations.

Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate.

Section 14 - Transport Information

DOT (49 CFR 172)		
Proper Shipping Name:	Non-Regulated Material	
Identification Number:	N/A	
Marine Pollutant:	No	
Special Provisions:	None	
Emergency Response Guidebook (ERG) #:	N/A	
IATA (DGR):		
Proper Shipping Name:	Non-Regulated Material	
Class or Division:	N/A	

Material Safety Data Sheet CRYSTAL NAILS EXTREME TITANIUM GEL BLUE Page 4 of 5

UN or ID Number:	N/A
Packaging Instructions:	None
Emergency Response Guidance (ICAO)#:	N/A
IMO (IMDG):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation: None	
Emergency Schedule (EmS)#:	N/A
Other Information:	Flash point >100°C

Section 15 - Regulatory Information

US Federal Regulations	
Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS: • Benzophenone CAS #119-61-9 (HAP) No ODS's.
Clean Water Act: Priority Pollutant	This product contains no chemicals listed under the U. S. Clean Water Act Priority Pollutant List.
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its hazards are: Immediate (acute) health hazard Delayed (chronic) health hazard Reactive hazard
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261).
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances.
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 304 as extremely hazardous chemical for emergency release notification (" CERCLA" List).
SARA Title III: Section 311-312:	This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: • Immediate (acute) health hazard • Delayed (chronic) health hazard • Reactive hazard
SARA Title III: Section 313:	This product contains no chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.
TSCA Section 8(b): Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.
TSCA Significant New Use Rule:	None of the chemicals listed have a SNUR under TSCA.

a	-		
Stata	LOC	ulotione	
State	I/CZ	ulations	

CA Right-to-Know Law:	NONE	
California No Significant Risk Rule:	NONE	
MA Right-to-Know Law:	This product contains no hazardous chemicals on the Massachusetts Substance List.	
NJ Right-to-Know Law:	This product contains the following hazardous components subject to disclosure under	
	New Jersey Right-To-Know legislation: NONE	
PA Right-to-Know Law:	This product contains the following hazardous components subject to disclosure under	
	Pennsylvania Right-to-Know legislation: NONE	
FL Right-to-Know	This product contains the following hazardous components subject to disclosure under	
	Florida Right-to-Know legislation: NONE	
MN Right-to-Know	This product contains the following non-hazardous components subject to disclosure under	
	Minnesota Right-to-Know legislation: Benzophenone CAS #119-61-9	

Material Safety Data Sheet CRYSTAL NAILS EXTREME TITANIUM GEL BLUE Page 5 of 5

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)

Benzophenone CAS #119-61-9 is on the DSL list. WHMIS = n/da Hydroxycyclohexyl phenyl ketone CAS #947-19-3 is on the DSL list. WHMIS = n/da Tetraethylene glycol dimethacrylate, CAS# 109-17-1 is not on the DSL List. WHMIS = n/da

Trimethylolpropane Trimethacrylate esters CAS# 3290-92-4 is on the DSL List. WHMIS = n/da

Labeling according to EC Directives – 1999/45/EC

European Community:



Crystal Extreme Titanium Gel Blue:

- HAZARD SYMBOLS: Xi: Irritant
- RISK PHRASES: **R20**: Harmful by inhalation **R43**: May cause sensitization by skin contact.
- SAFETY PHRASES: **S24/25**: Avoid contact with skin and eyes, **S28A**: After contact with skin, wash immediately with plenty of water, **S37**: Wear suitable protective gloves, **S45**: In case of accident, or if you feel unwell, seek medical advise immediately (show the label where possible)

Section 16 - Other Information

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

Hazard Symbols:

Xi - Irritants


Risk Phrases:

R36/37/38 Irritating to eyes, respiratory system and skin

Safety Phrases

S3/7 Keep container tightly closed in a cool place; S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice; S36/37 Wear suitable protective clothing and gloves; S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label

Hazard Rating System (Pictograms)



OSHA PEL for nuisance dust: 15 mg/m³ (total dust) 5 mg/m³ (respirable dust) ACGIH PEL for nuisance dust: 10 mg/m³

Revision History:	03/03/09 Initial Issue * Most Crystal Nails gels are composed of oligomers made primarily from urethane methacrylates. Crystal Nails is using the designation Di HEMA Trimethylhexyl Dicarbamate, the official INCI name of urethane dimethacyrlate, which is substantially the equivalent of Polyurethane Acrylate Oligomer.

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.