

Material Safety Data Sheet**Crystal Nails Dropper Dry****Section 1 – Identification****Product Name:** Crystal Nails Dropper Dry**Chemical Name:** N/A**Family:** POLISH DRYER**Product Use:****Product #:** 1000232**Manufacturer/Distributor:** Litrox Factory Investments LLC (443960-91)

US 8130 SW Portland, Oregon,

Beaverton-Hillsdale Highway 97225.

Section 2 – Hazards Identification**EMERGENCY OVERVIEW**

This information is based on findings from related or similar materials.

- **Flammable liquid and vapor!**
- Aspiration hazard if swallowed.
- Can enter lungs and cause damage.
- May cause eye and skin irritation.
- May cause respiratory tract irritation.
- Dangerous for the environment.

**Potential Health Effects, Signs and Symptoms of Exposure:****Primary Route of Entry** Inhalation, skin contact, eye contact

Eye	Exposure causes eye irritation. Symptoms include stinging, tearing, redness and swelling.
Skin	Can cause skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and cracking, and skin burns.
Ingestion	Causes gastrointestinal irritation with nausea, vomiting and diarrhea. Aspiration of material into the lungs may cause chemical pneumonitis, which may be fatal. May cause agitation, □eptanes, convulsions, and muscle spasms.
Inhalation	Inhalation of high concentrations may cause central nervous system effects characterized by nausea, headache, dizziness, unconsciousness and coma. Causes respiratory tract irritation. Aspiration may lead to pulmonary edema. Vapors may cause dizziness or suffocation.
Sub-Chronic Effects	Prolonged or repeated skin contact may cause dermatitis. Effects may be delayed. Chronic exposure may cause thyroid damage with thyroid enlargement, a decrease in metabolic rate, the symptoms of hypothyroidism, and reduction in the protein-bound fraction of the serum iodine and in the thyroxine content of the thyroid gland. May cause skins rashes, occasionally an exfoliative dermatitis occurs and may prove fatal.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3- Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure	Limits	Carcinogen	%
				OSHA TWA/STEL	ACGIH TWA/STEL		
n-Heptane	142-82-5	205-563-8	Heptane	500 ppm	400 ppm	no/no/no	70-75
Polydimethylsiloxane	63148-62-9	N/E	Dimethicone	N/E	N/E	no/no/no	20-25
Almond Fragrance	8007-69-0	N/E	Prunus Amygdalus dulcis (Sweet Almond) Oil	N/E	N/E	Not Listed	1-5
N/E – None Established	N/DA – No Data Available						
N/R – Not Reviewed	N/A – Not Applicable						

n-Heptane: Hazard Symbol – Xn, F, N Risk Phrases – R11, R38, R50/53, R65, R67 Safety Phrases – S2, S9, S16, S29, S33, S60, S61, S62**Polydimethylsiloxane:** Hazard Symbol – Xi Risk Phrases – R36 Safety Phrases – S2, S24/25, S26**Almond Fragrance:** Hazard Symbol – N/E Risk Phrases – R41 Safety Phrases – S24/25

See Section 16 for Risk and Safety Phrase Key

Section 4 – First Aid Measures

Material Safety Data Sheet**Crystal Nails Dropper Dry**

First Aid for Eye	If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.
First Aid for Skin	Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention.
First Aid for Inhalation	Remove to fresh air. If breathing is difficult, administer oxygen. If symptoms persist, seek medical attention.
First Aid for Ingestion	Do NOT induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Possible aspiration hazard. Get medical aid immediately.

Section 5 – Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
TAG CLOSED 40°F/4.44°C	400 ppm	n/da

Method:

Extinguishing Media:	Foam, dry chemical, cold water spray.
Fire Fighting Instructions:	Cool fire exposed containers with water, remove away from building. Use self-contained breathing apparatus to fight fire.
Unusual Hazards:	When exposed to heat and flame material is fire explosion hazard. It may produce toxic products CO, Carbon dioxide and oxides of nitrogen.

Section 6 – Accidental Release Measures

Spill or Release Procedures	Eliminate all sources of heat and ignition. Use absorbent material for spills and dike it, wash spill material into retaining containers. Place containers in a well ventilated area. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (e. g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as sawdust. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak, and to flush spills away from exposures.
-----------------------------	---

Section 7 – Handling and Storage

Handling	Wash thoroughly after handling. Ground and bond containers when transferring material. Use spark-proof tools and explosion proof equipment. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Avoid contact with heat, sparks, and flame. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks, or open flames. Use only with adequate ventilation. Avoid breathing vapor.
Storage	Keep away from heat, sparks, and flame. Keep away from sources of ignition. Store in well ventilated area. Store @ 70°F+/- 15°F, allow some air space above liquid level. Keep containers closed while not in use.
Explosion Hazard	Vapors are heavier than air and may travel along the ground or may be move by ventilation and ignited by pilot lights, other flames, sparks, heaters, smoking or other ignition sources at locations distant from material handling point. Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.

Section 8 – Exposure Controls / Personal Protection

Engineering Controls	Facilities storing or utilizing this material should be equipped with an eye facility and safety shower. Use process enclosures local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof ventilation equipment. IDLH for CAS# 142-82-5: 750 ppm (NIOSH)
----------------------	---

Material Safety Data Sheet Crystal Nails Dropper Dry

Personal Protective Equipment

General

To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

Eye/ Face Protection

Use impermeable clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

Skin Protection

Wear resistant gloves. To prevent repeated or prolonged skin contact, wear impervious clothing and boots.

Respiratory Protection

A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance level organic vapor dust masks can be used, however the use of the respirator is limited. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Section 9 – Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	% Volatile		
Clear liquid	fruity ester odor	NA	(H ₂ O=1): 0.68		W/W % : 99+		
Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
170°F(77°C)	N/A	N/A	NA	(Air=1):1	NA	NA	Insoluble
Flash Point (°F/°C)		Flammable Limit (vol%)		Auto-ignition Temperature (vol%)			
TAG CLOSED 40°F/4.44°C		400 ppm		n/da			

Section 10 – Stability and Reactivity

Stability:

Stable

Hazardous Decomposition Products:

Heated material produce NO₂, CO₂, CO

Conditions to Avoid:

Heat, flame, ignition sources.

Incompatibility (Materials to Avoid):

Avoid oxidizing agents, acids & bases (heat)

Hazardous Polymerization:

Will not occur

Section 11 – Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation – skin	Irritation – Eye
Oral, rat: LD50 (CAS# 63148-62-9) = >24 gm/kg	Skin, rat: LD50 (CAS# 63148-62-9) = >2 gm/kg	Inhalation, mouse, LC50 (CAS# 142-82-5) = 103 gm/m ³ /4H	Slight	Slight

Since this product contains a very low concentration of active components, the primary toxicological information is derived from the aliphatic hydrocarbons.

Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Sensitization	Mutagenicity	Sub-chronic Toxicity
No information available	No information available	No information available

RTECS#: CAS# 142-82-5, MI7700000

CAS# 63148-62-9, JT6484500

Section 12 – Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
Goldfish, LC50 (CAS# 142-82-5) = 4.0 mg/L; 24 Hr.	N/DA	N/DA	N/DA	N/DA

Chemical Fate Information

Biodegradability	The substance is toxic to aquatic organisms. In the food chain important to humans, bioaccumulation takes place, specifically in fish. No other information available.
Chemical Oxygen Demand	N/DA

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated.

Material Safety Data Sheet Crystal Nails Dropper Dry

Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13 – Disposal Considerations

Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate.

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 – Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	UN1993, Flammable liquids, n.o.s., (Heptanes, polydimethylsiloxane), 3, PGII
Identification Number:	UN1993
Marine Pollutant:	No
Special Provisions:	T8, T31
Emergency Response Guidebook (ERG) #:	128
IATA (DGR):	
Proper Shipping Name:	UN1993, Flammable liquids, n.o.s., (Heptanes, polydimethylsiloxane), 3, PGII
Class or Division:	3
UN or ID Number:	UN1993
Packaging Instructions:	
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	
Proper Shipping Name:	UN1993, Flammable liquids, n.o.s., (Heptanes, polydimethylsiloxane), 3, PGII
Class or Division:	3.2
UN or ID Number:	UN1993
Special Provisions & Stowage/Segregation:	None
Emergency Schedule (EmS)#:	
Other Information:	Flash point = 4.44°C

Section 15 – Regulatory Information**US Federal Regulations**

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAPs): <ul style="list-style-type: none"> • NONE There are no ODS's (ozone depleting substances) as defined by the U. S. Clean Air Act.
Clean Water Act: Priority Pollutant	This product contains the following chemicals listed under the U. S. Clean Water Act Priority Pollutant and Hazardous Substance List: <ul style="list-style-type: none"> • NONE
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is considered to be hazardous under the OSHA Hazard Communication Standard. Its hazard are: <ul style="list-style-type: none"> • Immediate (acute) health hazard • Chronic (delayed) health hazard • Fire hazard
RCRA	This product contains chemicals considered to be hazardous waste under RCRA (40 CFR 261): <ul style="list-style-type: none"> • May contain Characteristic of Ignitability: RCRA Code: D001
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA Title III: Section 302 (TPQ)	This product contains the following chemicals regulated under Section 302-304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List): <ul style="list-style-type: none"> • NONE

Material Safety Data Sheet Crystal Nails Dropper Dry

SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: <ul style="list-style-type: none"> • Immediate (acute) health hazard • Chronic (delayed) health hazard • Fire hazard
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: <ul style="list-style-type: none"> • NONE
TSCA Section 8(b): Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.


State Regulations

CA Right-to-Know Law: California No Significant Risk Level:	n-heptane CAS # 142-85-5 NONE
MA Right-to-Know Law:	n-heptane CAS # 142-85-5
NJ Right-to-Know Law:	n-heptane CAS # 142-85-5
PA Right-to-Know Law:	n-heptane CAS # 142-85-5
FL Right-to-Know Law:	n-heptane CAS # 142-85-5
MN Right-to-Know Law:	n-heptane CAS # 142-85-5

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	n-heptane CAS# 142-85-5 is on the DSL list. WHMIS = B2, D2B polydimethylsiloxane CAS# 63148-62-9 is on the DSL list. WHMIS = n/da
---	--

Labeling according to EC Directives – 1999/45/EC

<p>European Community:</p> 	<p>Crystal Nails Dropper Dry:</p> <ul style="list-style-type: none"> • HAZARD SYMBOLS: Xi: Irritant, F: Highly Flammable, N: Dangerous for Environment • RISK PHRASES: R11: highly flammable, R38: Irritating to skin, R51/53: toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment, R65: Harmful, may cause lung damage if swallowed. • SAFETY PHRASES: S9: keep container in a well-ventilated place, S16: keep away from sources of ignition- no smoking, S29: do not empty into drains, S36/37: Wear suitable protective clothing and gloves, S46: If swallowed seek medical advice immediately and show this container or label.
--	---

Section 16 – Other Information

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

Hazard Symbols:

Xn – Harmful substances or preparations
Xi – Irritants
F – Flammable substances or preparations
N – Substances or preparations which are dangerous to the environment

Risk Phrases:

R11 Highly flammable; R36 Irritating to eyes; R38 Irritating to skin; R41 Risk of serious damage to eyes; R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment; R65 Harmful: may cause lung damage if swallowed; R67 Vapors may cause drowsiness and dizziness

Safety Phrases:


S2 Keep out of the reach of children; S9 Keep container in a well-ventilated place; S16 Keep away from sources of ignition – No smoking; S24/25 Avoid contact with skin and eyes; S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice; S29 Do not empty into drains; S33 Take precautionary measures against static discharges; S60 This material and its container must be disposed of as hazardous waste; S61 Avoid release to the environment. Refer to special instructions/safety data sheet; S62 If swallowed, do not

Material Safety Data Sheet Crystal Nails Dropper Dry


induce vomiting: seek medical advice immediately and show this container or label

Hazard Rating System (Pictograms)

NFPA:



HMIS:



MSDS Prepared by:	BSQ
Revision History:	Format Revision
	12/20/07 DOT Name update
	09/17/08 Updated section 16
	10/21/08 Updated format
	11/13/08 Updated Risk and Safety Phrases
	12/09/08 Updated specific gravity
	03/16/09 Updated to meet Globally Harmonized System requirements. Added the EU address to section 1. Switched location of section 2 with section 3. Changed the title in sections 1, 8, and 13. Moved MSDS preparation to section 16.
	02/03/10 Added international emergency phone number to section 1

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If there are any problems or concerns understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.