

# Material Safety Data Sheet

1

# CRYSTAL NAILS UV LIQUID

MSDS#: KIM121500- K1L

Page 1 of

## Section 1 – Identification of the Substance/Preparation and of the Company/Undertaking

Material/Product Name: UV Liquid

Chemical Name: N/A  
Family: Odourless Monomer

Product Use: Nail Liquid  
Product#: 1001724

MSDS Initial Approval Date:	12/15/2000
-----------------------------	------------

MSDS Prepared by:	BSQ
-------------------	-----

Manufacturer/Distributor: Litrox Factory Investments LLC (443960-91)  
US 8130 SW Portland, Oregon,  
Beaverton-Hillsdale Highway 97225.

## Section 2 - Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Triethylene glycol dimethacrylate esters	109-16-0	202-617-2	Triethyleneglycol Dimethacrylate	N/E	N/E	Not Listed	95-99
Hydroxycyclohexyl phenyl ketone	947-19-3	213-426-9	Hydroxycyclohexyl phenyl ketone	N/E	N/E	Not Listed	1-3
Benzophenone	119-61-9	204-337-6	Benzophenone	N/E	N/E	Not Listed	0-1
D&C Violet #2	81-48-1	201-353-5	Violet 2/CI 60725	N/E	N/E	Not Listed	0-1
4-Methoxyphenol	150-76-5	205-769-8	p-Hydroxyanisole	5 mg/m3	5 mg/m3	Not Listed	0-1

N/E - None Established  
N/R - Not Reviewed  
N/DA - No Data Available  
N/A - Not Applicable

Hazard Symbols: Xi Risk Phrases: R22, R36/38, R43 Safety Phrases: S18, S24/25, S36/37, S38

## Section 3 - Hazards Identification

### EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- May cause eye irritation.
- May cause skin irritation.
- Avoid prolonged or repeated breathing of gases, vapors or mists.
- Please read entire MSDS for additional information.

### Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry: Inhalation, skin, eyes  
Eye: Vapor concentrations may cause irritation of eyes. Liquid contact with eyes can cause irritation and possible corneal damage.  
Skin: Liquid concentration may cause moderate skin irritation. Repeated or prolonged contact may cause allergic skin rashes, itching and swelling which becomes evident on re-exposure to this product.  
Ingestion: The normal effects of this product have not been fully investigated.  
Inhalation: No significant signs or symptoms indicative of any adverse health hazard are expected to occur as a result of inhalation.  
Sub-Chronic Effects: No chronic effects are known. Basic material is non-toxic but may be poisonous.

NOTE: Refer to Section 11, Toxicological Information for Details

### Section 4 - First Aid Measures

First Aid for Eye: Flush with water for 15 minutes, including under eyelids. Obtain medical attention without delay, preferably from an ophthalmologist.  
First Aid for Skin: Wash thoroughly with soap and water. Remove contaminated clothing and wash before reuse. Seek medical attention if discomfort persists.  
First Aid for Inhalation: Remove to fresh air. If having breathing difficulty, give oxygen. If breathing has stopped, give artificial respiration. Get medical help if discomfort persists.  
First Aid for Ingestion: If swallowed, get medical attention immediately. Only induce vomiting if directed by a physician. Never give anything by mouth to an unconscious person.

Revised Date: 11/24/2004 | Replaces Date: 12/15/2000

# Material Safety Data Sheet

MSDS#: KIM121500- K1L

## CRYSTAL NAILS UV LIQUID

Page 2 of 2

### Section 5 - Fire Fighting Measures

Flash Point(°F/°C)	Flammable Limit(vol%)	Auto-ignition Temperature(vol%)
Penskie-Martin Closed Cup: 200°F/93°C	N/DA	N/DA

#### Method:

Extinguishing Media: Dry Chemical, CO2, Water Spray, Foam, Water Fog

Fire Fighting Instructions: Wear self-contained breathing apparatus and full protective gear. Water may be ineffective unless used as a fine spray or fog. Use water spray to cool the exposed containers of the monomer.

Unusual Hazards: Decomposition of products may be possible. Heat/impurities may increase temperature/build pressure/rupture of closed containers may spread fire, increasing the risk of burns/injuries. Notify authorities if liquid enters sewer/public waters.

### Section 6 - Accidental Release Measures

Spill or Release Procedures Use absorbent material for spills and dike it, wash spill material into retaining containers. Place containers in a well ventilated area. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Collect liquid in an appropriate container or absorb with an inert material (e. g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC.

### Section 7 - Handling and Storage

Handling Storage Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist . Use with adequate ventilation. Follow all MSDS/label precautions even after the container is emptied because it may retain product residues. Wash thoroughly after handling.

Explosion Hazard Store in a cool, dry area. Keep container closed when not in use. Store at ambient temperatures out of direct sunlight. Store in a well ventilated place. Store below 85°F, keep away from heat and light, oxidizing agents, reducing agents and photoinitiators. Avoid high temperatures.

### Section 8 - Exposure Controls / Personal Protective Equipment

Engineering Controls Use adequate ventilation. Use explosion-proof ventilation equipment.

#### Personal Protective Equipment

General To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132) be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

Eye/ Face Protection Wear safety glasses. Wear coverall chemical splash goggles and face shield when possibility exists for eye and face contact due to splashing or spraying material.

Skin Protection Use impermeable clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Neoprene and Nitrile rubber is better than PVC.

Respiratory Protection A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline respirator in the positive pressure mode with emergency escape provisions. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

### Section 9 - Physical and Chemical Properties

Appearance		Odor & Odor Threshold		pH	Specific Gravity		Viscosity		% Volatile
Clear to Blue-violet liquid		Ester like odor		N/A	N/A		9mPa s at 20 deg C		N/A
Boiling Point/ Freezing Point	Decompositio n Temperatur	Octanol/Water Partitioning Coefficient Log Po/w	Vapor P	ressure:	Vapor Density	Ev	aporation Rate	Ignition	Solubility In Water (20°C)

Revised Date:11/24/2004 | Replaces Date: 12/15/2000

# Material Safety Data Sheet

MSDS#: KIM121500- K1L

## CRYSTAL NAILS UV LIQUID

Page 3 of 3

483°F	N/A	N/A	mm Hg: 0.1 @ 77°F	(Air=1) : >1	Slower than butyl acetate	N/A	Partially soluble
<u>Flash Point</u> (°F/°C) Penskie-Martin Closed Cup: 200°F/93°C			<u>Flammable Limit</u> (vol%) N/A		<u>Auto-ignition Temperature</u> (vol%) N/A		

### Section 10 - Stability and Reactivity

**Stability:**

Stable

**Hazardous Decomposition Products:**

Unknown

**Conditions to Avoid:**

Uv light, heat source, free radical initiators

**Incompatibility (Materials to Avoid):**

Free radical initiators, strong oxidizing agents

**Hazardous Polymerization:**

May occur

### Section 11 - Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
No information available	No information available	No information available	No information available	No information available

Since this product contains a very low concentration of active components, the primary toxicological information is derived from the monomers. Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Sensitization

N/DA

Mutagenicity

N/DA

Sub-chronic Toxicity

N/DA

### Section 12 - Ecological Information

#### Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

**Chemical Fate Information**

**Biodegradability** N/DA

**Chemical Oxygen Demand** N/DA

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated.

Do not allow to enter drinking water supplies, wastewater, or soil

### Section 13 - Disposable Considerations

Non-contaminated, properly inhibited product is not a RCRA hazardous waste. It is the generators responsibility to determine what is classified as a hazardous waste. Comply with all federal, state, and local regulations.

Material may be incinerated or use biological treatment in accordance with federal, state, and local regulations. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

### Section 14 - Transport Information

<b>DOT (49 CFR 172)</b>	
Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
<b>Emergency Response Guidebook (ERG) #:</b>	<b>N/A</b>
<b>IATA (DGR):</b>	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	
<b>Emergency Response Guidance (ICAO)#:</b>	
<b>IMO (IMDG):</b>	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A

Revised Date:11/24/2004 | Replaces Date: 12/15/2000

# Material Safety Data Sheet

MSDS#: KIM121500- K1L

## CRYSTAL NAILS UV LIQUID

Page 4 of 4

UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None
Emergency Schedule (EmS)#:	
Other Information:	Flash point = 93°C

### Section 15 - Regulatory Information

US Federal Regulations	
Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP's) as defined by the U. S. Clean Air Act: <ul style="list-style-type: none"> <li>Benzophenone, CAS #119-61-9 (SOCMI) This product does not contain any Class 1 or Class 2 ODS.</li> </ul>
Clean Water Act:	This product contains no chemicals listed under the U. S. Clean Water Act Priority Pollutant List.
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and/or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its hazards are: <ul style="list-style-type: none"> <li>Immediate (acute) health hazard</li> </ul>
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261)
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances that carry a TPQ.
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: <ul style="list-style-type: none"> <li>Immediate (acute) health hazard</li> </ul>
SARA Title III: Section 313:	This product contains no substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.
TSCA Section 8(b): Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

### State Regulations

CA Right-to-Know Law: California No Significant Risk Rule:	NONE NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	Benzophenone CAS #119-61-9.

### International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)

EINECS: European Inventory:

Triethylene glycol dimethacrylate esters CAS# 109-16-0 is on the DSL List. WHMIS = n/da  
 Hydroxycyclohexyl phenyl ketone CAS# 947-19-3 is on the DSL List. WHMIS = n/da  
 Benzophenone CAS #119-61-9 is on the DSL list. WHMIS = n/da Violet 2 CAS# 81-48-1 is on the DSL List. WHMIS = n/da 4-Methoxyphenol CAS# 150-76-5 is on the DSL List.  
WHMIS = n/da

#### CRYSTAL NAILS UV LIQUID

- HAZARD SYMBOLS: **Xi: Irritant**



Revised Date: 11/24/2004 | Replaces Date: 12/15/2000

# Material Safety Data Sheet

MSDS#: KIM121500- K1L


## CRYSTAL NAILS UV LIQUID

Page 5 of 5

	<ul style="list-style-type: none"><li>• RISK PHRASES: <b>R22:</b> Harmful if swallowed, <b>R36/38:</b> Irritating to eyes and skin, <b>R43:</b> May cause sensitization by skin contact.</li><li>• SAFETY PHRASES: <b>S18:</b> Handle and open container with care, <b>S24/25:</b> avoid contact with skin and eyes, <b>S36/37:</b> Wear suitable protective clothing and gloves, <b>S38:</b> in case of insufficient ventilation, wear suitable respiratory equipment.</li></ul>
--	---

### Section 16 - Other Information

#### Hazard Rating System (Pictograms)



Revised Sections since Last Version:

Overall Format Update. All sections updated

OSHA PEL for nuisance dust: 15 mg/m<sup>3</sup> (total dust) 5 mg/m<sup>3</sup> (respirable dust)

ACGIH PEL for nuisance dust: 10 mg/m<sup>3</sup>

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.